

FOOT PROTECTION



BRAND: RUSH LEATHER SHOE S3

- Upper: Leather, water repellent, black
- Lining: Nylon mesh brown and black
- Outsole: Antiistatic doulbe density polyurethane injected directly into the upper
- Insole: Antistatic absorbent, resistant to abrasion and to exfoliation
- Weight: 620 gr.
- Water repellent, brown Nylon mesh lining, antistatic, puncture resistant steel sole;
- S3 SRC



ITEM NO. : BESTBOY231 LEATHER SHOE S3

- Upper: Leather, water repellent, black
- Lining: Nylon mesh grey
- Outsole: Antiistatic doulbe density polyurethane
- Insole: Antistatic absorbent, resistant to abrasion and to exfoliation
- Weight: 620 gr.
- Water repellent, black, Nylon mesh lining, antistatic
- S3 SRC



ITEM NO.: LABOR

- Comfortable all-round safety boot S3
- Surround yourself with comfort and protection wearing the LABOR in all conditions.
- This safety boot with a rubber outsole has the highest
- resistance to chemicals,heat,hydrocarbons,acids, and hydrolysis.
- The sturdiness of rubber prevents the rapid abrasion of the outsole in all workplaces.
- S3/SRC,HRO



ITEM NO:301355 COBRA4 DELTA S3 WELDER MID-TOP SAFETY SHOES

- Upper: Pigment split leather, S3 water resistant treatment
- Lining: polyester; para aramid seams
- Insock: Removable premolded-Polyamide on EVA
- Flap: Fastening with velcro band
- S3 HI HRO

FOOT PROTECTION



ITEM NO:AURA | LOW-CUT ESD LEATHER SAFETY SHOE MADE TO LAST S3

- Upper: Nappa Action Leather
- Outsole: PU/PU
- Toecap: Composite
- Midsole: Anti-puncture Textile
- Lining: Mesh
- Footbed: SJ foam footbed
- Safety category: EN ISO20345-S3/ESD,SRC
- Sample weight: 0.645gr
- Size range:EU35-47/UK 3.0-12.0/US 3.0-13.0/CM23.0-31.0



ITEM NO:EOS | MID-CUT ESD LEATHER SAFETY SHOE MADE TO LAST S3

- Upper: Nappa Action Leather
- Outsole: PU/PU
- Toecap: Composite
- Midsole: Anti-puncture Textile
- Lining: Mesh
- Footbed: SJ foam footbed
- Safety category: EN ISO20345-S3/ESD,SRC
- Sample weight: 0.712gr
- Size range: EU36-48/UK 3.5-13.0/US 4.0-13.5/CM23.5-31.5



SAFETY SHOES

- Upper: Black Cow Embossed Leather
- Lining: Breathable Sandwich Mesh
- Outsoles: PU
- Steel toe + steel midsole
- Anti-puncture, Anti-smash, Antistatic, Water-resistant
- Conforms to GB 21148-2020

FOOT PROTECTION



ITEM NO:CERES LOW-CUT SAFETY SHOE IN NUBUCK,DESIGNED FOR LADIES

- Upper :Nubuck Action Leather
- Outsole:Rubber
- Toecap:Composite
- Midsole:Anti-puncture Textile
- Lining:3D-Mesh
- Footbed:SJ foam footbed
- Safety category:EN ISO20345-S3/SRC
- Sample weight:0.470gr.
- Size range:EU35-42/UK3.0-8.0/US5.5-10.5/CM23.0-27.0



ITEM NO:DYNAMICA | LOW-CUT ESD SAFETY SHOE IN PREMIUM CORDURA UPPER MATERIAL

- Upper :Textile
- Outsole:PU/PU
- Toecap:Composite
- Midsole:Anti-puncture Textile
- Lining:Coolmax Mesh
- Footbed:SJ foam footbed
- Safety category:EN ISO 20345-S3/ESD,SRC
- Sample weight:0.680gr.
- Size range:EU36-47/UK3.5-12.0/US4.0-13.0/CM23.5-31.0



ITEM NO:BESTRUN ALL-TIME FAVORITE,LOW-CUT SAFETY SHOE

- Upper :Barton Action Leather
- Outsole:PU/PU
- Toecap:Steel
- Midsole:Steel
- Lining:Mesh
- Footbed:SJ foam footbed
- Safety category:EN ISO 20345-S3/SRC
- Sample weight:0.620gr.
- Size range:EU35-47/UK3.0-12.0/US3.0-13.0/CM23.0-31.0

FOOT PROTECTION



SAFETY SHOES

- Upper: Wear-resistant breathable mesh
- Outsole: MODA composite material
- Insole: Sweat-absorbing, shock-absorbing insoles
- Function: Anti-smash, anti-puncture, anti-static, anti-slip
- The widened head does not squeeze the feet, and the steel head buffer sandwich does not wear the feet; Lightweight, achieve reasonable weight under the premise of meeting functional requirements and use strength, improve foot feeling; Stable support, anti-distortion, balanced foot pressure, long wear not tired; Excellent resilience, improve the foot pain caused by long walking and standing
- Conforms to GB21148-2020



SAFETY SHOES

- Upper: cow hide
- Outsole: PU
- Insole: Sweat-absorbing insoles
- Function: Anti-smash, anti-puncture, anti-static, anti-slip
- Conforms to GB21148-2020

FOOT PROTECTION



ITEM NO.;HERCULES HIGH PUNCTURE RESISTANT PVC SAFETY BOOT

- Upper: PVC
- Toecap: Steel
- Midsole: Steel
- Lining: Tricot;
- Footbed: N/A
- Sample weight: 1.111gr.
- EN ISO 20345-S5/SRA



ITEM NO.: 522706004 PVC SAFETY BOOTS

- Upper: PVC
- Outsole: PVC
- Toecap: Steel
- Lining: Tricot
- Waterproof, acid and alkali resistance,oil resistance
- GB 20265



ITEM NO.:522706005 PVC INJECTION INTEGRATED SAFETY BOOTS

- Upper: PVC
- Outsole: PVC
- Toecap: Steel;
- Lining: Tricot;
- Waterproof, acid and alkali resistance, oil resistance;
- GB 20265